



Converte™



foliar spray

Application Guideline Only

For specific recommendations for your nutrition programme, please contact Converte

	Foliar Spray	
	Application	Timing
Broadacre	2.5L per hectare Water rate 50-100L/ha	Spray from last leaf to head emergence (stage 8-10)
Pasture	2.5L per hectare Water rate 50-100L/ha	Early autumn and spring. Between stock rotation and hay cuts
Viticulture	2.5L per hectare Water rate 50-100L/ha	Spray from pre-bunch to bunch closure
Tree Horticulture	2.5L per hectare Water rate 50-100L/ha	Spray after fruit set
Vegetables	20ml per 1 litre of water	Every 2 weeks during active growing season
Home Gardens	20ml per 1 litre of water	Every 2 weeks during active growing season
Lawn/Turf	20ml per 1 litre of water Covers 50 m2	Every 2 weeks during active growing season

Typical Analysis

	mg/L
Kjeldahl Nitrogen as N	1,350
Phosphorus as P	25.9
Potassium	2,040
Organic Carbon	19,200
Sulphate	2,290
Silicon	30.3
Calcium	362
Magnesium	158
Sodium	706
Chromium	19
Cobalt	26.4
Copper	92.6
Manganese	240
Molybdenum	24.9
Nickel	4.3
Selenium	16.5
Zinc	244
Boron	46.6
Iron	388



Available in 1000L, 20L, 2L, 1L

For more information or to re-order: 1800 108 940 www.converte.com.au