



Converte™



plantfood

Application Guideline Only

For specific recommendations for your nutrition programme, please contact Converte

	Plantfood	
	Application	Timing
Broadacre	2.5L per hectare Water rate 50-100L/ha	Apply pre-sowing or at 3-4 leaf stage
Pasture	2.5L per hectare Water rate 50-100L/ha	Early autumn and spring. Between stock rotation and hay cuts
Viticulture	2.5L per hectare Water rate 50-100L/ha Drip fed rate – 1 L with 500L of water	Apply during early flower stage Plantfood can be applied to soil or foliage & soil
Tree Horticulture	2.5L per hectare Water rate 50-100L/ha Drip fed rate – 1 L with 500L of water	Apply during dormant to early bud stage Plantfood can be applied to soil or foliage & soil
Vegetables	10ml per 1 litre of water Drip fed rate – 1 L with 500L of water	Every 2 weeks during active growing season Plantfood can be applied to soil or foliage & soil
Home Gardens	10ml per 1 litre of water Drip fed rate – 1 L with 500L of water	Every 2 weeks during active growing season Plantfood can be applied to soil or foliage & soil
Lawn/Turf	10ml per 1 litre of water Covers 50 m2	Every 2 weeks during active growing season

Typical Analysis

	mg/L
Kjeldahl Nitrogen as N	2,400
Phosphorus as P	33.3
Potassium	2,800
Organic Carbon	23,100
Sulphate	3,400
Silicon	39.1
Calcium	421
Magnesium	367
Sodium	951
Chromium	31.6
Cobalt	40.7
Copper	156
Manganese	367
Molybdenum	38.6
Nickel	6.8
Selenium	30.9
Zinc	358
Boron	72.5
Iron	681



Available in 1000L,
20L, 2L, 1L

For more information or to re-order: 1800 108 940 www.converte.com.au