

Application Guideline Only

For specific recommendations for your nutrition programme, please contact Converte.

Seed Primer

	Application	Timing
Broadacre	Drip on seeds using an auger / Spray seed with 500ml/ tonne. Add water as required.	Seeds should be sown 24-48 hours past priming. Do not soak.
Pasture	Mix 1:1 with water then spray seeds. Do not soak.	Spray seeds 1-2 hours before planting.
Vegetables	Mix 1:10 with water then spray seeds. Do not soak.	Spray seeds 1-2 hours before planting.
Home Gardens	Mix 1:10 with water then spray seeds. Do not soak.	Spray seeds 1-2 hours before planting.
Lawn/Turf	Mix 1:10 with water then spray seeds. Do not soak.	Spray seeds 1-2 hours before planting.





Typical Analysis	mg/L
Kjeldahl Nitrogen as N Phosphorus as P Potassium Organic Carbon Sulphate Silicon Calcium Magnesium Sodium Chromium Cobalt Copper	23,700 1260 8,760 121,000 16,200 72 1760 1940 7550 62 248 622
Manganese Molybdenum Nickel Selenium Zinc Boron Iron	2180 377 47 6 2,090 421 4,470



Available in 100 ml, 5 litre, 20 litre, 1000 litre packaging