

Application Guideline Only

For specific recommendations for your nutrition programme, please contact Converte.

	Plantfood	
	Application	Timing
Broadacre	250ml/ha Water rate 50-100L/ha	Apply pre-sowing or at 3-4 leaf stage.
Pasture	250ml/ha Water rate 50-100L/ha	Early autumn and spring, between stock rotation and hay cuts.
Viticulture	250ml/ha Water rate 50-100L/ha Drip fed rate – 1L with 5000L of water	Apply during early flower stage. Plantfood can be applied to soil or foliage & soil.
Tree Horticulture	250ml/ha Water rate 50-100L/ha Drip fed rate – 1L with 5000L of water	Apply during early flower stage. Plantfood can be applied to soil or foliage & soil.
Vegetables	10ml per 10L of water Drip fed rate – 1L with 5000L of water	Every 2 weeks during active growing season. Plantfood can be applied to soil or foliage & soil.
Home Gardens	10ml per 10L of water Drip fed rate – 1L with 5000L of water	Every 2 weeks during active growing season. Plantfood can be applied to soil or foliage & soil.
Lawn/Turf	10ml per 10L of water Covers 50 m2	Every 2 weeks during active growing season

Typical Analysis	mg/L
Kjeldahl Nitrogen as N	17,000
Phosphorus as P	367
Potassium	22,700
Organic Carbon	97.900
Sulphate	30,400
Silicon	152
Calcium	2,820
Magnesium	2,890
Sodium	10,200
Chromium	268
Cobalt	319
Copper	1,260
Manganese	2,770
Molybdenum	289
Nickel	61
Selenium	144
Zinc	3,070
Boron	574
Iron	5,460

